

L Number	Hits	Search Text	DB	Time stamp
-	117	72/130.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/11 18:28
-	1710	((processor or (integrated adj circuit) or IC or (electronic with device\$1)) same ((temperature or thermal) with sens\$4)) and ((power or voltage) with supply with (temperature or thermal))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/11 19:04
-	2	((processor or (integrated adj circuit) or IC or (electronic with device\$1)) same ((temperature or thermal) with sens\$4)) and ((power or voltage) with supply with (temperature or thermal))) and ((crosstalk or (cross adj talk)) same ((voltage or power) with supply))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/11 18:55
-	2	((processor or (integrated adj circuit) or IC or (electronic with device\$1)) same ((temperature or thermal) with sens\$4)) and ((power or voltage) with supply with (temperature or thermal))) and ((crosstalk\$3 or (cross adj talk\$3)) same ((voltage or power) with supply))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/11 19:00
-	25	((processor or (integrated adj circuit) or IC or (electronic with device\$1)) same ((temperature or thermal) with sens\$4)) and ((power or voltage) with supply with (temperature or thermal))) and ((crosstalk\$3 or (cross adj talk\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/11 19:03
-	25	((processor or (integrated adj circuit) or IC or (electronic with device\$1)) same ((temperature or thermal) with sens\$4)) and ((crosstalk\$3 or (cross adj talk\$3))) and ((power or voltage) with supply with (temperature or thermal))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/11 19:55
-	83706	(processor or (integrated adj circuit) or IC or (electronic with device\$1)) same ((temperature or thermal))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/14 22:39
-	1710	((processor or (integrated adj circuit) or IC or (electronic with device\$1)) same ((temperature or thermal))) and ((crosstalk\$3 or (cross adj talk\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/11 21:33
-	154	((processor or (integrated adj circuit) or IC or (electronic with device\$1)) same ((temperature or thermal))) and ((crosstalk\$3 or (cross adj talk\$3))) and ((power or voltage) with supply with (temperature or thermal))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/11 21:24
-	197	((processor or (integrated adj circuit) or IC or (electronic with device\$1)) same ((temperature or thermal)); and ((crosstalk\$3 or (cross adj talk\$3)) with (temperature or thermal))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/11 20:41
-	23	((processor or (integrated adj circuit) or IC or (electronic with device\$1)) same ((temperature or thermal))) and ((crosstalk\$3 or (cross adj talk\$3)) with (temperature or thermal))) and ((power or voltage) with supply with (temperature or thermal))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/11 20:42

-	2	((((processor or (integrated adj circuit) or IC or (electronic with device\$1)) same ((temperature or thermal))) and ((crosstalk\$3 or (cross adj talk\$3)))) and ((power or voltage) with supply with (temperature or thermal))) and (diode with (thermal or temperature) with sens\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/11 21:26
-	1	((((processor or (integrated adj circuit) or IC or (electronic with device\$1)) same ((temperature or thermal))) and ((crosstalk\$3 or (cross adj talk\$3)))) and ((power or voltage) with supply with (temperature or thermal))) and (negative with temperature with resistor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/11 21:28
-	14	((processor or (integrated adj circuit) or IC or (electronic with device\$1)) same ((temperature or thermal))) and ((crosstalk\$3 or (cross adj talk\$3)))) and (negative with temperature with resistor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/11 21:29
-	3	((processor or (integrated adj circuit) or IC or (electronic with device\$1)) same ((temperature or thermal))) and ((crosstalk\$3 or (cross adj talk\$3)))) and (negative with (temperature or thermal) with coefficient with resistor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/11 21:30
-	67	((processor or (integrated adj circuit) or IC or (electronic with device\$1)) same ((temperature or thermal))) and (sens\$4 with die with temperature with (processor or (integrated adj circuit) or IC))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/11 21:35
-	4	((processor or (integrated adj circuit) or IC or (electronic with device\$1)) same ((temperature or thermal))) and (sens\$4 with die with temperature with (processor or (integrated adj circuit) or IC))) and ((power or voltage) with supply with regulat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/11 21:40
-	0	(temperature or thermal) with sens\$4 with (voltage or power) with supply with (stabl\$7 or constant) with (crosstalk\$3 or (cross adj talk\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/11 21:43
-	0	(temperature or thermal) with sens\$4 with (voltage or power) with supply with (crosstalk\$3 or (cross adj talk\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/11 21:44
-	0	((temperature or thermal) with sens\$4) same ((voltage or power) with supply with (crosstalk\$3 or (cross adj talk\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/11 21:46
-	2	((temperature or thermal) with sens\$4 with (voltage or power) with supply) same ((crosstalk\$3 or (cross adj talk\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/11 21:51
-	104	(temperature or thermal) with (maintain\$3 or stabl\$7 or constant) with (crosstalk\$3 or (cross adj talk\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/11 21:52
-	25	((temperature or thermal) with (maintain\$3 or stabl\$7 or constant) with (crosstalk\$3 or (cross adj talk\$3))) and ((power or voltage) with supply)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/11 21:53

-	20	((temperature or thermal) with (maintain\$3 or stabl\$7 or constant) with (crosstalk\$3 or (cross adj talk\$3))) and ((power or voltage) with supply)) and (processor or (integrated adj circuit) or IC or (electronic with device\$1) or semiconductor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/11 21:53
-	83808	(processor or (integrated adj circuit) or IC or (electronic with device\$1)) same ((temperature or thermal))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/14 22:41
-	25137	((processor or (integrated adj circuit) or IC or (electronic with device\$1)) same ((temperature or thermal))) and ((power or voltage) with (supply or source))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/14 22:43
-	3040	((processor or (integrated adj circuit) or IC or (electronic with device\$1)) same ((temperature or thermal))) and ((power or voltage) with (supply or source) with regulat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/14 23:13
-	1590	((processor or (integrated adj circuit) or IC or (electronic with device\$1)) same ((temperature or thermal))) and ((power or voltage) with (supply or source) with regulat\$3)) and ((initial or first) with voltage)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/14 22:55
-	276	((processor or (integrated adj circuit) or IC or (electronic with device\$1)) same ((temperature or thermal))) and ((power or voltage) with (supply or source) with regulat\$3)) and ((initial or first) with voltage)) and ((increas\$3 or (higher adj than)) with voltage with temperature)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/14 22:55
-	3	((processor or (integrated adj circuit) or IC or (electronic with device\$1)) same ((temperature or thermal))) and ((power or voltage) with (supply or source) with regulat\$3)) and ((initial or first) with voltage)) and ((increas\$3 or (higher adj than)) with voltage with temperature)) and (crosstalk or (cross adj talk) or crosstalking or (cross adj talking))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/14 23:14
-	313	((processor or (integrated adj circuit) or IC or (electronic with device\$1)) same ((temperature or thermal))) and ((power or voltage) with (supply or source) with regulat\$3)) and ((initial) with voltage)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/14 22:55
-	59	((processor or (integrated adj circuit) or IC or (electronic with device\$1)) same ((temperature or thermal))) and ((power or voltage) with (supply or source) with regulat\$3)) and ((initial) with voltage)) and ((increas\$3 or (higher adj than)) with voltage with temperature)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/14 23:17
-	613	((processor or (integrated adj circuit) or IC or (electronic with device\$1)) same ((temperature or thermal))) and ((power or voltage) with (supply or source) with regulat\$3 with temperature)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/14 23:14
-	5	((processor or (integrated adj circuit) or IC or (electronic with device\$1)) same ((temperature or thermal))) and ((power or voltage) with (supply or source) with regulat\$3 with temperature)) and (crosstalk or (cross adj talk) or crosstalking or (cross adj talking))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/14 23:15

-	1	((((processor or (integrated adj circuit) or IC or (electronic with device\$1)) same ((temperature or thermal))) and ((power or voltage) with (supply or source) with regulat\$3 with temperature)) and (crosstalk or (cross adj talk) or crosstalking or (cross adj talking))) and ((increas\$3 or (higher adj than)) with voltage with temperature)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/14 23:18
-	129	((((processor or (integrated adj circuit) or IC or (electronic with device\$1)) same ((temperature or thermal))) and ((power or voltage) with (supply or source) with regulat\$3 with temperature)) and ((increas\$3 or (higher adj than)) with voltage with temperature)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/14 23:40
-	0	((((processor or (integrated adj circuit) or IC or (electronic with device\$1)) same ((temperature or thermal))) and ((power or voltage) with (supply or source) with regulat\$3 with temperature)) and ((increas\$3 or (higher adj than)) with voltage with temperature)) and (graphics with processing with unit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/14 23:40
-	2830	graphics with processing with unit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/14 23:41
-	562	(graphics with processing with unit) and (semiconductor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/14 23:41
-	25	((graphics with processing with unit) and (semiconductor)) and ((processor or (integrated adj circuit) or IC or (electronic with device\$1)) same ((temperature or thermal)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/14 23:41
-	23	((graphics with processing with unit) and (semiconductor)) and ((processor or (integrated adj circuit) or IC or (electronic with device\$1)) same ((temperature or thermal))) and ((processor or (integrated adj circuit) or IC or (electronic with device\$1)) same ((temperature or thermal))) and ((power or voltage) with (supply or source))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/14 23:42
-	12	((graphics with processing with unit) and (semiconductor)) and ((processor or (integrated adj circuit) or IC or (electronic with device\$1)) same ((temperature or thermal))) and ((processor or (integrated adj circuit) or IC or (electronic with device\$1)) same ((temperature or thermal))) and ((power or voltage) with (supply or source) with regulat\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/14 23:45
-	1	negative adj thermal adj coefficient adj resistor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/14 23:46
-	13	(negative adj thermal adj coefficient) with resistor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/14 23:46